Hematology Analysis Report



Patient:YUKISpecies:CaninePatient ID:118100Client:ABAOGender:MaleSample No.:01

Doctor: Dr. Vincent D. Siton Age: 5Years Time of analysis: 2025/04/06 11:00

	Para.	Curr	ent result		Ref. Ranges	
WBC Para.	WBC	L	0.13	10^3/uL	5.32-16.92	
	Neu#	L	0.01	10^3/uL	3.05-12.10	©
		L	0.01	10^3/uL	0.70-4.95	~
	Lym#					
	Mon#		0.03	10^3/uL	0.20-1.38	
	Eos#	L	0.00	10^3/uL	0.04-1.28	
			0.00	10^3/uL	0.00-0.13	
	Neu%	L	10.3	%	42.0-84.0	
	Lym%	Н	69.7	%	6.0-40.0	<u> </u>
	Mon%	Н	20.0	%	2.5-12.0	
	Eos%	L	0.0	%	0.3-11.0	
	Bas%		0.0	%	0.0-1.0	
RBC Para.	RBC	L	2.13	10^6/uL	5.20-8.69	
	HGB	L	4.8	g/dL	11.5-20.1	
	нст	L	14.0	%	35.0-60.0	
	MCV		65.5	fL	60.0-77.5	
	мсн		22.5	pg	20.0-27.0	
	мснс		34.3	g/dL	30.0-38.0	
	RDW-CV		15.8	%	11.3-18.9	
	RDW-SD		39.4	fL	29.1-55.1	
PLT Para.	PLT	L	0	10^3/uL	140-520	©
	MPV		****	fL	7.6-16.1	
	PDW		****		13.8-17.9	
	PCT		****	%	0.120-0.700	
	P-LCC		***	10^3/uL	25-180	
	P-LCR		***	%	10.0-57.0	
	IPF	Н	25.0	%	0.4-17.1	
RET Para.	RET#	L	1.10	10^3/uL	9.00-115.00	••••
	RET%	L	0.05	%	0.16-1.95	-
	IRF		8.7	%	0.0-45.1	
	LFR		91.3	%	56.0-100.0	
	MFR		8.7	%	0.0-26.0	
	HFR		0.0	%	0.0-22.0	
	RHE		23.6	pg	20.0-28.3	

The results only applies to this test sample.

Test Instrument:Mindray BC-60R Vet

Time of Printing:2025-04-06 11:03:39






Hematology Analysis Report



Patient:YUKISpecies:CaninePatient ID:118100Client:ABAOGender:MaleSample No.:01

Doctor: Dr. Vincent D. Siton Age: 5Years Time of analysis: 2025/04/06 11:00

Operator:



■ Report Explan.						
Anemia	It occurs in anemia caused by various reasons, such as insufficient hematopoietic materials, hematopoietic dysfunction, excessive destruction of RBC, or blood loss					
Leukocytopenia	It occurs in virus infection, parasitic infection, aplastic anemia, agranulocytosis, etc					
Neutropenia	It occurs in particular animal breed (such as Australian shepherd and Labrador retriever), infection (such as parvovirus and ehrlichia), drug treatment (such as estrogen, phenylbutazone and phenobarbital), immune-mediated disease, myeloma (such as leukemia, lymphoma and histiocytic sarcoma), etc					
Lymphopenia	It occurs in stress response or corticosteroid response, viral diseases (such as parvovirus), drug treatment (such as chemotherapy drugs and long-term use of corticosteroid), and lymphoid fluid loss (chylothorax and lymphangiectasia)					

The results only applies to this test sample.

Test Instrument:Mindray BC-60R Vet

Time of Printing:2025-04-06 11:03:39





Atypical Lymph

Hematology Analysis Report



Patient: YUKI Species: Canine Patient ID: 118100 Client: ABAO Gender: Male Sample No.: 01

Dr. Vincent D. Siton Time of analysis: 2025/04/06 11:00 Doctor: Age: 5Years

Report Explan.

It occurs in pseudo-reduction caused by PLT clump, infection, hemorrhage, disseminated intravascular **Thrombocytopenia**

coagulation, immune-mediated diseases, drug treatment, and tuberculosis of bone marrow

WBC Scattergram Abn The DIFF scattergram may be abnormal due to abnormal lymphocytes, immature granulocytes, blasts, etc.

Possible presence of atypical lymphocytes, and it occurs in juvenile animals, reactions after vaccination, **Atypical Lymph**

virus/bacteria/parasite infection, allergy, drugs, and autoimmune diseases

Note: Due to the complexity and individuality of disease diagnosis, the report interpretation is only for your reference. Please consult your doctors for clinical diagnosis results. Time of Printing:2025-04-06 11:03:39 The results only applies to this test sample. Test Instrument:Mindray BC-60R Vet



